

# Work Order ID 119766

Thursday, May 22, 2014 9:29:58 AM

**\*119766\***

Page 1

Item ID: D4595-150-13

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Sealant Tape (13' Long)

Start Date: 6/6/2014 Start Qty: 360.00

**\*360\***

Cust Item ID:

Required Date: 6/6/2014 Req'd Qty: 360.00

**\*360\***

Customer:

Reference:

Approvals:

Process Plan:

*CL*

Date: 14/05/22

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start **\*NR1\***

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4595	B								
100	Packaging	0.00							
<b>*100*</b>									
Purchasing	Memo	0.00							
Purchasing	ISSUE P/O: 24256								
	SUPPLIER: GENERAL SEALANTS								
	C OF IS REQUIRED								
110	Receive & Inspect for Damage & Mat'l Certs	0.00							
<b>*110*</b>									
Packaging	Memo	0.00							
Packaging									
120	QC5- Inspect part completeness to step on W/O	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									

*CL 14/05/22 360*

*14/6/23 (360)*

DAS  
27  
9-89

*14/6/23*

*360*

DQA: \_\_\_\_\_ Date: \_\_\_\_\_

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: \_\_\_\_\_ Date: \_\_\_\_\_

Work Order update only ☐

Work Order: _____  Part No. _____  NCR No. _____	<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	<b>AGAINST DEPARTMENT/PROCESS</b>  <table style="width:100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

**FAULT CATEGORY**

<b>Landing Gear</b> <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	<b>General</b> <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		
<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

Work Order ID 119766

Thursday, May 22, 2014 9:29:58 AM

\*119766\*

Page 2

Item ID: D4595-150-13 Accept \*N900040100\* Setup Start \*NS1\*

Revision ID: Stop \*NS2\*

Item Name: Sealant Tape (13' Long)

Start Date: 6/6/2014 Start Qty: 360.00 \*360\* Cust Item ID:

Required Date: 6/6/2014 Req'd Qty: 360.00 \*360\* Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
125	Identify as per dwg & Stock Location: <i>MF</i>	0.00							
<b>*125*</b>									
Packaging	Memo	0.00				<i>360X</i>		<i>DAS 28 9-89</i>	<i>JUN 25 2014</i>
Packaging									
130	QC21- Final Inspection - Work Order Release	0.00							
<b>*130*</b>									
QC	Memo	0.00							
Quality Control									

*14/7/28*

*44-7-28*

# Picklist Print

Thursday, May 22, 2014 9:29:57 AM

Page 1

Work Order ID: 119766

**\*119766\***

Parent Item: D4595-150-13

**\*D4595-150-13\***

Parent Item Name: Sealant Tape (13' Long)

Start Date: 6/6/2014

Required Date: 6/6/2014

Start Qty: 360.00

Required Qty: 360.00

Comments: IPP REV:I 13.06.26 NEW ISSUE DD VERF:JFS  
13.11.14 AS PER DWG REV.B DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4595-150-13P		Purchased		No			Each	0.0000		360			

**\*D4595-150-13P\***

Black Polysulfide Base Sealant  
1/16"x1 1/2"x13'

**\*\***

*Per 6/6/24 (360)*

DQA: \_\_\_\_\_ Date: \_\_\_\_\_



## WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: \_\_\_\_\_ Date: \_\_\_\_\_

Work Order update only ☐


Work Order: _____  Part No. _____  NCR No. _____	<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	<b>AGAINST DEPARTMENT/PROCESS</b>  <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

### FAULT CATEGORY

<b>Landing Gear</b> <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	<b>General</b> <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge  <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other  _____ _____ _____
--	--	---	---

# SPECIFICATION CONTROL DRAWING



**D4595-XXX-YY SEALANT TAPE**

RELEASE BACKING, Ref.  
DO NOT REMOVE UNTIL APPLICATION

CL 14/05/22  
W10: 119766

RELEASED  
R 2013-11-14 D  
MP

## NOTES:

- 1) MATERIAL: SEALANT TAPE, SINGLE-COMPONENT, NON-CURING, POLYSULFIDE BASE  
1/16" THICK  
PER MIL-S-11030F TYPE III  
POSSIBLE SUPPLIER = GENERAL SEALANTS INC. P/N GS#424 (AVIALL)
- 2) SPECIFICATION: D4595-XXX-YY  
WHERE "XXX" = WIDTH IN HUNDREDTHS OF AN INCH  
AND "YY" = LENGTH IN FEET  
EG. 1 INCH WIDE BY 25 FEET LONG SEALANT TAPE = D4595-100-25.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4595-XXX-YY", B/N "BXXXXX" PER DART QSI 044 6.1
- 7) WEIGHT: 0.33 lbs/sq.ft

B	REMOVE NOTE REGARDING TAPE EXPIRATION DATE. REF. PAR13-258.	ML	13.10.03
A	NEW ISSUE	CP	12.01.09
REV.	DESCRIPTION	BY	DATE
DESIGN	93	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	M		
CHECKED	1	DRAWING NO.	REV. B
MFG. APPR.	N/A	D4595	SHEET 1 OF 1
APPROVED	14	TITLE	SCALE
DE APPR.		SEALANT TAPE	NTS
DATE	13.10.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO24256**

Purchase Order Date 5/20/2014

PO Print Date 5/20/2014

Page Number 1 of 2

Order From : VU-GS001  
GENERAL SEALANTS INC.  
300 S. TURNBULL CANYON RD.  
CITY OF INDUSTRY, CALIFORNIA 91745-1009  
USA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone 800-762-1144  
  
Ship To Contact  
Ship To Phone  
Ship Via: FedEx Overnight collect  
Ship Acct:

Buyer  
Customer POID  
Customer Tax # 10127-2607  
Terms COD  
Currency USD  
FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D4595-150-13P	Black Polysulfide Base Sealant 1/16"x1 1/2"x13'	6/6/2014 Yes 6/6/2014		360.00 Each	\$43.81	\$15,771.60

\*\*\*NOTE\*\*\*  
Mfg P/N GS#424  
\*\*\*\*\*

Line Total: \$15,771.60

2	71401-45		6/6/2014 No 6/6/2014		0.00	\$0.00	\$0.00
Procurement Quality Clauses A005 RIGHT OF ENTRY A013 SHELF LIFE CONTROLLED MATERIAL; 80% SHELF LIFE REQUIRED AT RECEIPT A016 PERSONNEL QUALIFICATION A026 CERTIFICATION OF MATERIAL CONFORMANCE A040 NOTIFICATION OF QUALITY ESCAPE A042 DART NOTIFICATION BY SUPPLIER A043 RETENTION OF QUALITY DOCUMENTS							

Note:

5/20/2014



GENERAL SEALANTS INC.

300 SOUTH TURNBULL CANYON ROAD

CITY OF INDUSTRY, CA 91745

Phone (626) 961-0211

Toll Free (800) 762-1144

Fax (626) 968-5140

Email: sticktoquality@generalsealants.com

Web: www.generalsealants.com

PLEASE REMIT TO:

P.O. BOX 3855

CITY OF INDUSTRY, CA

91744-0855

Packing Slip

0002778-IN

Invoice Date: 6/13/2014

Order Date: 5/30/2014

Order Number: 1003436

Stick to Quality®

Sold To:

DART AEROSPACE LTD.  
1270 ABERDEEN STREET  
HAWKESBURY, ON K6A 1K7

Ship To:

SAME

CUSTOMER PO	SHIP VIA	FREIGHT TERMS	F.O.B.	RESALE	TAX	PAYMENT TERMS	
PO24256	Fedex Frt. Economy	COLLECT	CITY OF INDUSTRY	NO	NO	ADVANCE PAYMENT	
ORDERED	DESCRIPTION		SHIPPED	B/O		UOM	
6	GS# 424 BLACK POLYSULFIDE BASE SEALANT 1/16" X 1-1/2" X 13' 60 RLS/CS INDIVIDUALLY BOXED & BAGGED MIL-S-11030F TYPE III PART# D4595-150-13P EXPORT PAPERWORK FEE EXPORT PALLET NAFTA FORM & CERTS TO ACCOMPANY SHIPMENT		6	0		CS	
			1	0		EA	
			1	0		EA	

NO returns accepted without prior written authorization





GENERAL SEALANTS, INC.

300 SOUTH TURNBULL CANYON ROAD / CITY OF INDUSTRY, CA 91745 / P.O. BOX 3855 / CITY OF INDUSTRY, CA 91744  
(626) 961-0211 / (800) 762-1144 / FAX (626) 968-5140

June 13, 2014

Dart Aerospace LTD.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Canada

Ref. GS# 424 Black Polysulfide Base Sealant  
1/16" X 1-1/2" X 13'  
60 Rls/Cs  
Individually Boxed & Bagged  
Part# D4595-150-13P

**Certificate Of Conformance**

This is in reference to the above material that was shipped to your company on 6/13/14  
against your Purchase Order No. PO24256. We certify that this material is our regular  
formulation for this product and conforms to MIL-S-11030F Type III. Applicable  
specifications such as date of manufacture 06/10/14, date of expiration 06/10/15,  
Batch# 249 and shelf life of 1 year comply.

Sincerely,  
General Sealants, Inc.

Dale Hjort  
Quality Control  
DH/cs

**GS# 424**

# Material Safety Data Sheet



## Section 1

Product and Company Identification

<b>Product Name:</b>	GS# 424 (MIL-S-11030F Type III)
<b>Product Description:</b>	Extruded Tape Sealant
<b>Manufacturer:</b>	General Sealants, Inc. 300 S. Turnbull Canyon Road, City of Industry, CA 91745
<b>Information Phone:</b>	626-961-0211 FAX: 626-968-5140
<b>Web Site:</b>	www.generalsealants.com
<b>Emergency Phone:</b>	626-961-0211 or 800-762-1144
<b>Issue Date:</b>	5/24/2013

## Section 2

Composition/Information on Ingredients

No reportable hazardous substances or complex substances.

## Section 3

Hazards Identification

This material is not considered to be hazardous according to regulatory guidelines (see Section 15).

## Section 4

First Aid Measures

<b>Eye Contact:</b>	Flush with warm water for 15 minutes. If irritation persists, seek medical attention.
<b>Skin Contact:</b>	Wash contaminated area with soap and water for 15 minutes. If irritation persists, seek medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Seek medical attention.
<b>Inhalation:</b>	Remove to fresh air. Seek medical attention.

# GS# 424

## Material Safety Data Sheet



### Section 5

#### Fire Fighting Measures

Flash Point:	N/A
Auto Ignition Point:	N/A
Lower Explosive Limit:	N/A
Upper Explosive Limit:	N/A
Extinguishing Media:	Use water spray (fog), foam, dry chemical or carbon dioxide (CO2).
Fire Fighting Instructions:	Use water spray to cool fire exposed surfaces. Use standard protective equipment and in enclosed spaces a self contained breathing apparatus.
Fire And Explosion Hazards:	Irritating gases may be present.

### Section 6

#### Accidental Release Measures

Avoid release to the environment. Contain spill, collect, and transfer to suitable containers. Do not flush to sewer or allow to enter waterways. Recycle or dispose in accordance with federal, state, and local regulations.

### Section 7

#### Handling and Storage

Handling and Storage Precautions:	Store in closed containers at 72° F. Avoid excessive heat. For industrial use only.
-----------------------------------	---

### Section 8

#### Exposure Controls/Personal Protection

Engineering Controls:	Use with adequate general ventilation.
Eye/face Protection:	N/A
Skin Protection:	Use gloves when material is hot.
Respiratory Protection:	N/A
Other/ General Protection:	Wash thoroughly after handling.

N/A= Not Applicable

**GS# 424****Material Safety Data Sheet****Section 9**

Physical and Chemical Properties

<b>Appearance:</b>	Black
<b>Odor:</b>	Slight Polysulfide Odor
<b>Chemical Type:</b>	Mixture
<b>Physical State:</b>	Solid
<b>Melting Point:</b>	N/A
<b>Boiling Point:</b>	N/A
<b>Specific Gravity (Water=1):</b>	1.5
<b>Vapor Pressure:</b>	N/A
<b>Vapor Density (Air=1):</b>	N/A
<b>Solubility in Water:</b>	Insoluble
<b>Evaporation Rate (n-butyl Acetate=1):</b>	N/A

**Section 10**

Stability and Reactivity

<b>Stability:</b>	Stable
<b>Hazardous Polymerization:</b>	Will not occur
<b>Incompatible Materials:</b>	Strong oxidizing agents
<b>Hazardous Decomposition Products:</b>	Thermal decomposition may form carbon dioxide, carbon monoxide and various hydrocarbon fumes.
<b>Condition to avoid:</b>	None known

**Section 11**

Toxicological Information

No data available

N/A= Not Applicable

**GS# 424**

# Material Safety Data Sheet



## Section 12

Ecological Information

No data available

## Section 13

Disposal Consideration

Dispose in accordance with applicable federal, state and local government regulations.

## Section 14

Transportation Information

Proper Shipping Name  
Not regulated by the USDOT

## Section 15

Regulatory Information

When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

## Section 16

Other Information

<b>NFPA Rating:</b>	Health:0 Flammability:0 Reactivity:0
<b>HMIS Rating:</b>	Health:0 Flammability:0 Reactivity:0

### USER'S RESPONSIBILITY

THIS PRODUCT INFORMATION CANNOT COVER ALL POSSIBLE SITUATIONS, WHICH THE USER MAY EXPERIENCE DURING PROCESSING. EACH ASPECT OF YOUR OPERATION SHOULD BE EXAMINED TO DETERMINE IF, OR WHERE, ADDITIONAL PRECAUTIONS MAY BE NECESSARY. ALL HEALTH AND SAFETY INFORMATION CONTAINED IN THIS BULLETIN SHOULD BE PROVIDED TO YOUR EMPLOYEES OR CUSTOMERS. IT IS YOUR RESPONSIBILITY TO USE THIS INFORMATION TO DEVELOP APPROPRIATE WORK PRACTICE GUIDELINES AND EMPLOYEE INSTRUCTIONAL PROGRAMS FOR YOUR OPERATION.

### DISCLAIMER OF LIABILITY

AS THE CONDITIONS OR METHODS OF USE ARE BEYOND OUR CONTROL, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ANY LIABILITY FOR ANY USE OF THIS MATERIAL. INFORMATION CONTAINED HEREIN IS BELIEVED TO BE TRUE AND ACCURATE BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THE INFORMATION, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS REMAINS THE RESPONSIBILITY OF THE USER.

### CONFIDENTIALITY NOTICE

THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION BELONGING TO THE SENDER, WHICH IS LEGALLY PRIVILEGED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, BE AWARE THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR USE OF THIS INFORMATION IS PROHIBITED. IF YOU HAVE RECEIVED THIS IN ERROR, PLEASE CONTACT US IMMEDIATELY AND DELETE (DESTROY) THE DOCUMENT.

### WARRANTY

PRODUCTS ARE SOLD WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT IF SHOWN TO BE DEFECTIVE IN MATERIALS WITHIN 30 DAYS OF SHIPMENT BY US, IT WILL BE REPLACED OR AT OUR OPTION THE PURCHASE PRICE WILL BE REFUNDED TO THE PURCHASER. WE ASSUME NO RESPONSIBILITY FOR CONSEQUENTIAL DAMAGE ARISING FROM THE USE OF OUR PRODUCTS. USER MUST CONFIRM THE ADAPTABILITY OF OUR PRODUCTS BY THEIR OWN TEST. NO REPRESENTATIVE OF OUR COMPANY OR ANY OTHER HAS AUTHORIZATION TO GRANT ANY ADDITIONAL WARRANTY.

GENERAL SEALANTS, INC. 300 S. Tumbull Canyon Rd. / City of Industry, CA 91745 / P.O. Box 3855 / City of Industry, CA 91744  
(626) 961-0211 • (800) 762-1144 • Fax: (626) 968-5140  
E-Mail: [sticktoquality@generalsealants.com](mailto:sticktoquality@generalsealants.com) • [www.generalsealants.com](http://www.generalsealants.com)